INDEX OF AUTHORS' NAMES.

TRANSACTIONS. 1892.

And also to such papers as appeared in the Proceedings during the Session 1891—1892 (Nos. 101—114, November, 1891, to July, 1892), but not in Transactions (marked PROC.).

A.

Abney, colour-photometry, PROC., **1891**, 150.

Abrahall, J. L. H., obituary notice of 486.

—— the atomic weight of boron, 650.

Adams, M. A., estimation of oxygen dissolved in water, 310.

Addyman, F. T., action of sulphuric acid on the bromides of potassium, sodium, and hydrogen, 94.

Armstrong, H. E., contributions to an international system of nomenclature. The nomenclature of cycloids, PROC., **1892**, 127.

—— note on anhydrides of sulphonic acids, PROC., **1892**, 41.

—— the interaction occurring in flames, PROC., **1892**, 22.

—— the origin of colour. II. The constitution of coloured nitro-compounds, PROC., **1892**, 101.

—— the origin of colour. III. Colour as an evidence of isodynamic change: the existence of isodynamic acids, PROC., **1892**, 103.

—— the origin of colour. Note on the appearance of colour in quinoline derivatives and of fluorescence in quinine salts, 789.

Armstrong, H. E., and J. F. Briggs, the relative orienting effect of chlorine and bromine. I. The constitution of parabrom- and parachlor-anilinesulphonic acids, PROC., **1892**, 40.

Armstrong, H. E., and F. S. Kipping, camphorone, a product of the action of dehydrating agents on camphor, PROC., **1891**, 188.

—— —— the production of the ketone 1 : 2 : 4-acetyleneorthoxylene from camphor by the action of sulphuric acid and zinc chloride, PROC., **1892**, 54.

Armstrong, H. E., and E. C. Rossiter, the action of alcohols on sulphonic chlorides as a means of producing ethereal salts of sulphonic acids, PROC., **1891**, 184.

—— —— the action of bromine on a mixture of ortho- and para-nitro-α-acenaphthalide, PROC., **1891**, 186.

—— —— the action of bromine on α- and β-bromonaphthalene, PROC., **1891**, 184.

—— —— the sulphochlorides of the isomeric dibromonaphthalenes, PROC., **1891**, 182.

B.

Bailey, G. H., and T. Lamb, the atomic weight of palladium, 745.

Baker, H. B., action of light on silver chloride, 728.

Baker, J. L. See A. R. Ling.

Barrows, A. E., and T. Turner, estimation of slag in wrought iron, 551.

Beadle, C., the acid action of drawing papers, PROC., **1892**, 34.

Beck, C. R. See W. A. Shenstone.

Bernays, A. J., obituary notice of, 488.

Bone, W. A. See B. Lean.

Briggs, J. F. See H. E. Armstrong.

Brown, A. Crum, and J. Gibson, a rule for determining whether a given benzene derivative shall be a meta-di-derivative or a mixture of ortho- and para-di-derivatives, 367.

Brown, A. J., influence of oxygen and of concentration on alcoholic fermentation, 369.

Brown, D. R., and W. H. Perkin, jun., cryptopine, PROC., **1891**, 166.

Brown, H. T., on the search for a cellulose-dissolving (cytohydrolytic)

enzyme in the digestive tract of certain animals, 352.

C.

Clark, J., separation of arsenic, antimony, and tin, 424.
Colefax, A., action of sulphurous acid on flowers of sulphur, 179.
—— action of iodine on a mixture of sulphite and thiosulphate, 1083.
—— investigation of the change proceeding in an acidified solution of sodium thiosulphate, where the products of the change are retained in the system, 176.
Collie, N., and W. S. Myers, production of pyridine derivatives from the lactone of tricetic acid, 721.
Colman, H. G., the preparation of glycollic acid, PROC., **1892**, 72.

D.

Desch, C. H. See R. Meldola.
Divers, E., and T. Haga, imidosulphonates, 943.
Dixon, A. E., action of bromine on allylthiocarbimide, 545.
—— disubstituted semithiocarbazides, 1012.
—— chemistry of the compounds of thiourea and thiocarbimides with aldehyde-ammonia, 509.
—— isomerism amongst the substituted thioureas, 536.
Dobbie, J. J., and A. Lauder, corydaline, 244, 605.
Dufton, S. F., hydrazines of quinoline, 782.
Dunstan, W. R., mercuric zinc cyanide, a study of the mode of formation and properties of an insoluble double salt, 666.
Dunstan, W. R., and T. S. Dymond, the existence of two crystalline acetaldoximes, 470; PROC., **1892**, 135.
Dunstan, W. R., and F. W. Passmore, the aconite alkaloïds. Part III. The formation and properties of aconine, and its conversion into aconitine, 395.
Dunstan, W. R., and J. C. Umney, the aconite alkaloïds. Part II. The alkaloïds of true *Aconitum napellus*, 385.
Dymond, T. S., the existence of hyoscyamine in the lettuce, 90.
Dymond, T. S. See also W. R. Dunstan.

E.

Easterfield, T. H., and W. J. Sell, anhydro-derivatives of citric and aconitic acids, 1003.
Ewan, T., and W. R. Ormandy, a method of measuring the vapour pressures of solutions, 769.

F.

Field, Miss E., chromic acid, 405.
Foster, W., note on the carbon deposited from coal-gas flames, PROC., **1892**, 46.
Frankland, Mrs. G. C., morphological characterisation of *Bacillus ethacetosuccinicus*, 275.
Frankland, P. F., and W. Frew, a pure fermentation of mannitol and dulcitol, 254.
Frankland, P. F., and J. S. Lumsden, decomposition of mannitol and dextrose by the *Bacillus ethaceticus*, 432.
Frankland, P. F., and J. MacGregor, fermentation of arabinose with the *Bacillus ethaceticus*, 737.
Frew, W. See P. F. Frankland.
Friswell, R. J., note on the action of dilute nitric acid on coal, PROC., **1892**, 9.

G.

Gibson, J. See A. Crum Brown.
Glendinning, T. A. See E. R. Moritz.
Goyder, G. See E. H. Rennie.

H.

Haga, T. See E. Divers.
Hartley, W. N., the acid action of drawing paper of different makes, PROC., **1892**, 19.
Hawkins, E. M. See R. Meldola.
Heisch, C., obituary notice of, 489.
Heycock, C. T., and F. H. Neville, isolation of a compound of gold and cadmium, 914.
—— —— on the lowering of the freezing points of cadmium, bismuth, and lead when alloyed with other metals, 888.
Hils, T. H., obituary notice of, 489.

Hodgkinson. W. R., the action of sodium on ethereal salts. Part III. Benzyl orthotoluate. Proc., **1891**, 167.
Hodgkinson, W. R., and L. Limpach, some new bases. Part I, 6:1:4:3-ethyldimethylamidobenzene, 420.
Hooker, S. C., the constitution of "lapachic acid" (lapachol) and its derivatives, 611.

I.

Ingle, H. See A. Smithells.

J.

Jones, H. C., the volumetric estimation of mercury, 364.

K.

Kipping, F. S., formation of a hydrocarbon, $C_{18}H_{12}$, from phenylpropionic acid, Proc., **1892**, 107.
Kipping, F. S. See also H. E. Armstrong.
Kirman, W. See T. E. Thorpe.
Klingemann, F. See W. F. Laycock.

L.

Lamb, T. See G. H. Bailey.
Lauder, A. See J. J. Dobbie.
Laycock, W. F., and F. Klingemann, an examination of the products obtained by the dry distillation of bran with lime, Proc., **1892**, 138.
Lean, B., and W. A. Bone, behaviour of ethylene on explosion with less than its own volume of oxygen, 873.
Lewes, V. B., the luminosity of coal-gas flames, 322.
—— the origin of acetylene in flames, Proc., **1892**, 47.
Limpach, L. See W. R. Hodgkinson.
Linder, S. E., and H. Picton, some metallic hydrosulphides, 114.
Linder, S. E. See also H. Picton.
Ling, A. R., studies on isomeric change. No. IV. Halogen derivatives of quinone. Part I, 558.
Ling, A. R., and J. L. Baker, halogen derivatives of quinone. Part II, 589.
Lumsden, J. S. See P. F. Frankland.
Lunge, G., the gas-volumeter and gravivolumeter, Proc., **1891**, 168, 170.

M.

MacGregor, J. See P. F. Frankland.
Mackenzie, J. E., and W. H. Perkin, jun., synthesis of hexahydroterephthalic acid, 172.
Mackenzie, J. E. See also A. G. Perkin.
Matthews, F. E., action of sulphuric acid on the α- and β-modifications of monochlorobenzene hexachloride, 103.
Meldola, R., and C. H. Desch, some homonucleal tri-derivatives of naphthalene, 765.
Meldola, R., and E. M. Hawkins, a method for determining the number of NH_2 groups in certain organic bases, Proc., **1892**, 133.
Meldola, R., and F. W. Streatfeild, ethylene derivatives of diazoamido-compounds, Proc., **1892**, 119.
Miller, A. K., interaction of bromine and toluene: preparation and properties of ortho- and para-bromotoluenes, and of the dibromotoluenes derivable therefrom: ortho- and para-bromotoluenesulphonic acids, 1023.
Miller, A. K. See also T. E. Thorpe.
Moody, G. T., metaxylenesulphonic acids, Proc., **1891**, 189.
—— sulphonic acids derived from anisoïls, Proc., **1892**, 90.
Moritz, E. R., and T. A. Glendinning, diastatic action, 689.
Morrell, R. S. See S. Ruhemann.
Murray, T. S., electrolysis of potassium acetate solutions, 10.
Myers, W. S. See N. Collie.

N.

Neville, F. H. See C. T. Heycock.

O.

Off, H. See H. D. Richmond.
Ormandy, W. R. See T. Ewan.

Ostwald, W., the dissociation of liquid nitrogen peroxide, 242.
—— the magnetic rotation of dissolved salts, PROC., **1892**, 12.
O'Sullivan, J., the hydrolytic function of yeast. Part I, 593; Part II, 926.
—— the specific rotatory and cupric reducing power of invert sugar and of dextrose obtained from cane sugar by means of invertase, 408.

P.

Passmore, F. W. See W. R. Dunstan.
Perkin, A. G., action of nitric acid on oxanilide and similarly constituted substances, 470.
Perkin, A. G., and J. E. Mackenzie, action of nitric acid on anthracene, Part II, 865.
Perkin, W. H., sen., on the refractive power of certain organic compounds at different temperatures, 287.
—— the magnetic rotation of compounds supposed to contain acetyl, or to be of ketonic origin, 800.
Perkin, W. H., jun., note on a new acid from camphoric acid, PROC., **1892**, 55, 68.
Perkin, W. H., jun., and W. Sinclair, synthetical formation of closed carbon chains. Part II (*cont.*): derivatives of tetramethylene, 37.
Perkin, W. H., jun, and J. Stenhouse, the synthetical formation of closed carbon chains. Part I (*cont.*): action of propylene bromide on the sodium compounds of ethyl acetoacetate and benzoylacetate, 68.
Perkin, W. H., jun. See also D. R. Brown, J. E. Mackenzie.
Perry, G. H. See T. E. Thorpe.
Picton, H., the physical constitution of some sulphide solutions, 137.
Picton, H., and S. E. Linder, solution and pseudo-solution, 148.
Picton, H. See also S. E. Linder.
Plimpton, R. T., metallic derivatives of acetylene, PROC., **1892**, 109.
Pope, W. J., the crystalline forms of the sodium salts of the substituted anilic acids, 581.
Pullinger, W., platinum tetrachloride, 422.
Purdie, T., and J. W. Walker, resolution of lactic acid into its optically active components, 754.

R.

Ramsay, W., pedetic motion in relation to colloïdal solutions, PROC., **1892**, 17.
Rennie, E. J., and G. Goyder, the resins of *Ficus rubiginosa* and *F. macrophylla*, 916.
Reynolds, J. E., silicon compounds and their derivatives. Part IV. The action of silicon tetrachloride on substituted phenylamines, 453.
—— some silver compounds of thiourea, 249.
Richmond, H. D., and H. Off, indications of a possible new element in an Egyptian mineral, 491.
Roscoe, Sir H. E., and F. Scudder, note on the action of water gas on iron, PROC., **1891**, 126.
Rossiter, E. C. See H. E. Armstrong.
Ruhemann, S., the isomeric bromocinnamic acids, 278.
Ruhemann, S., and R. S. Morrell, dicarboxyglutaconic acid, 791.

S.

Sakurai, J., determination of the temperature of steam arising from boiling salt solutions, 495.
—— modification of Beckmann's boiling point method of determining molecular weights of substances in solution, 986.
—— note on an observation of Gerlach of the boiling point of a solution of Glauber's salt, PROC., **1892**, 94.
Scudder, F. See Sir H. E. Roscoe.
Sell, W. J. See T. H. Easterfield.
Shenstone, W. A., adhesion of mercury to glass in the presence of halogens, 452.
Shenstone, W. A., and C. R. Beck, platinous chloride and its use as a source of chlorine, 445.
Sinclair, W. See W. H. Perkin, jun.
Skinner, S., the physical properties of solutions of some metallic chlorides, 339.
Smithells, A., note on the structure of luminous flames, 217.
—— the origin of flame coloration, PROC., **1892**, 8.
Smithells, A., and H. Ingle, the structure and chemistry of flames, 204.

Spring, W., the formation of trithionate by the action of iodine in a mixture of sulphite and thiosulphate, PROC., **1892**, 91.
Stenhouse, J. See W. H. Perkin, jun.
Stokes, G. G., the interactions occurring in flames, PROC., **1892**, 22.
Streatfeild, F. W. See Meldola.

T.

Thorpe, T. E., a lecture experiment to illustrate the phenomena of coal-dust explosions, 414.
Thorpe, T. E., and W. Kirman, fluorosulphonic acid, 921.
Thorpe, T. E., and A. K. Miller, frangulin, 1.
Thorpe, T. E., and G. H. Perry, note on the interaction of iodine and potassium chlorate, 925.
Tilden, W. A., on limettin, 344.
Turner, T. See A. E. Barrows.

U.

Umney, J. C. See W. R. Dunstan.

W.

Walker, J., preparation of alkyl iodides, 717.
—— the dissociation constants of organic acids, 696.
—— the methyl salts of camphoric acid, 1088.
Walker, J. W. See T. Purdie.
Werner, E. A., chemistry of the thioureas. Part II, PROC., **1892**, 96.
Williams, Miss K. J., the composition of cooked vegetables, 226.
Wynne, W. P., action of sulphuryl chloride on acetorthotoluidide and acetoparatoluidide: mono-, di-, and tri-chlorotoluenesulphonic acids, 1042.
—— note on the constitution of Nevile and Winther's orthotoluidinesulphonic acid and of the sulphonic acids of orthochlorotoluene and orthobromotoluene, 1036.

INDEX OF SUBJECTS.

TRANSACTIONS. 1892.

And also to such papers as appeared in the Proceedings during the Session 1891—1892 (Nos. 101—114, November, 1891, to July, 1892), but not in Transactions (marked PROC.).

A.

Acenaphthalide, ortho- and para-nitro-α-, action of bromine on a mixture of, PROC., **1891**.
Acetaldoxime, preparation of, 478.
Acetaldoximes, existence of two crystalline, 470; PROC., **1892**, 135.
Acetanhydrocitric acid, 1003.
—— —— action of aniline on, 1006.
—— —— conversion of, into aconitic acid, 1007.
Acetocitric acid, 1005.
—— —— reduction of, 1009.
Acetoisobutyl alcohol, 71.
—— bromide, 72.
Acetonaphthalide, β-, 4 : 1-bromiodo-767.
—— 1 : 4-chlorobromo-, 768.
Acetone hydrazone, 787.
Acetoparatoluidide, action of sulphuryl chloride on, 1042.
Acetorthotoluidide, action of sulphuryl chloride on, 1042.
Acetoxytetramethylenecarboxylic acid, 45.
Acetyl, magnetic rotation of substances supposed to contain, 800.
Acetyl-α-acetaldoxime, PROC., **1892**, 136.
Acetylacetone, magnetic rotation of, 813, 840, 844.
—— refractive and dispersive powers of, 846.
Acetylene, formation of, in the interior of luminous flames, 325.
—— metallic derivatives of, PROC., **1892**, 109.
—— origin of, in flames, PROC., **1892**, 47.
Acetylmethyltrimethylenecarboxylic acid, oxime of, 70.
Acetylortho-xylene, 1 : 2 : 4-, production of, from camphor, PROC., **1892**, 54.
Acetylthiocarbimide and aldehyde-ammonia, 530.
Acids, influence of, on the velocity of the hydrolytic action of yeast, 940.
—— isodynamic, PROC., **1892**, 103.
—— organic, dissociation constants of, 696.
Aconine, 393.
—— action of methyl iodide on, 403.
—— conversion of, into aconitine, 401.
—— crystalline salts of, 399.
—— decomposition products of, 402.
—— hydrochloride, crystalline, preparation of, 397.
—— properties of, 400.
Aconite, alkaloïds of, 385, 395.
Aconitic acid, anhydro-derivatives of, 1003.
—— —— conversion of acetanhydrocitric acid into, 1007.
—— —— dissociation constant of, 707.
—— anhydride, 1009.
—— —— action of ammonia on, 1010.
Aconitine, 390.
—— conversion of aconine into, 401.
—— hydrolysis of, 396.
—— methiodide, 403.
—— methohydroxide, 404.
Aconitum napellus, alkaloïds of true, 385.
Alcoholic fermentation, influence of oxygen and concentration on, 369.
Aldehyde-ammonias, compounds of thiourea and thiocarbimides with, 509.
Alkalis, influence of, on the hydrolytic action of yeast, 936.
Alkaloïd from *Corydalis tuberosa*, 244, 605.

Alkaloïds of true *Aconitum napellus*, 385.
Alkyl iodides, preparation of, 717.
Allylthiocarbamide, action of bromine on, 545.
Aluminium hydroxide, colloïdal solution of, 154.
Amido-groups in organic bases, method of determining the number of, PROC., **1892**, 133.
Ammonium barium imidosulphonate, 966.
—— calcium imidosulphonate, 968.
—— imidosulphonates, 946.
—— pentasodium imidosulphonate, 961.
—— pyrosulphate, 948.
—— sodium hydrogen imidosulphonate nitrate, 962.
Amylenehydroxynaphthaquinone, 611.
Anhydro-derivatives of citric and aconitic acids, 1003.
Anilic acids, substituted crystalline forms of the sodium salts of, 531.
Aniline, refractive power of, at different temperatures, 301.
Anilinesulphonic acids, parachlor- and parabrom-, constitution of, PROC., **1892**, 40.
Anisoïl, sulphonic acids derived from, PROC., **1892**, 90.
Anniversary meeting, 474.
Anthracene, action of nitric acid on, 865.
—— action of nitric acid on, in presence of acetone, 871.
—— action of nitric acid on, in presence of ether, 872.
—— action of nitric acid on, in presence of trimethylcarbinol, 870.
—— benzyl nitrate, 871.
—— isobutyl nitrate, 867.
—— propyl nitrate, 866.
Anthrole, nitro-, 869.
Anthrone, nitro-, 865, 868.
—— —— action of alcoholic potash on, 869.
Antimony, arsenic, and tin, separation of, 424.
—— hydrosulphide, 133.
—— lowering of the freezing point of bismuth by, 896.
—— lowering of the freezing point of cadmium by, 901.
—— lowering of the freezing point of lead by, 908.
—— sulphide, colloïdal solutions of, 142.
Arabinose, fermentation of, with *Bacillus ethaceticus*, 737.
Argentic disodium imidosulphonate, 976.
Arsenic, antimony, and tin, separation of, 424.
Arsenic hydrosulphides, 127.
—— lowering of the freezing point of bismuth by, 894.
—— lowering of the freezing point of cadmium by, 899.
—— lowering of the freezing point of lead by, 906.
Arsenious sulphide, colloïdal solutions of, 140, 144, 160.
Artichoke, Jerusalem, cooked, composition of, 227.
Atomic weight of boron, 650.
—— —— of palladium, 745.

B.

Bacillus ethaceticus, fermentation of arabinose with, 737.
—— —— fermentation of mannitol and dextrose with, 442.
—— *ethacetosuccinicus*, fermentation of mannitol and dulcitol with, 254.
—— —— morphological characterisation of, 275.
Balance Sheet of the Chemical Society, from March 19th, 1891, till March 18th, 1892, 484.
—— —— of the Research Fund from March 19th, 1891, till March 18th, 1892, 485.
Barium hydrogen imidosulphonate, 965.
—— imidosulphonate, 964.
—— mercury imidosulphonate, 977.
—— potassium imidosulphonate, 967.
—— sodium imidosulphonate, 967.
—— sulphamate, 966.
Bases, organic, method of determining the number of imido-groups in, PROC., **1892**, 133.
Beans, broad and haricot, cooked, composition of, 227.
Beetroot, cooked, composition of, 227.
Benzaldehyde hydrazone, 788.
Benzene, chloro-, action of bromine on, 111.
—— flames, experiments on, 209, 210.
—— hexabromide, preparation of, 110.
—— hexachloride, chloro-, α- and β-, modifications of, 103.
—— —— —— action of potassium cyanide on, 108.
—— rule for determining whether a given mono-derivative of, shall give a meta-di-derivative or a mixture of ortho- and para-di-derivatives, 367.
—— unsymmetrical tetrachloro-, properties of, 109.

Benzoylacetone, magnetic rotation of, 831, 861.
Benzoylaconine, formation of, 401.
Benzoylmethyltrimethylene, 86.
Benzoylmethyltrimethylenecarboxylic acid, 84.
—— —— —— oxime of, 85.
Benzoylthiocarbimide and aldehyde-ammonia, 532.
Benzoyltrimethylene oxime, 86.
Benzyl imidodiphenylthiocarbamate, Proc., **1892**, 97.
—— orthotoluate, action of sodium on, Proc., **1891**, 167.
—— phenylimidophenylbenzylthiocarbamate, Proc., **1892**, 97.
Benzyldiphenylthiourea, Proc., **1892**, 97.
Benzylethylphenylthioureas, isomeric, 540.
Benzylmalonic azimide, 796.
—— phenylhydrazide, 796.
Benzylparatolylsemithiocarbazide, 1022.
Benzylphenylsemithiocarbazide, 1021.
Bismuth hydrosulphide, attempts to prepare, 132.
—— lowering of the freezing point of cadmium by, 904.
—— lowering of the freezing point of lead by, 910.
—— lowering of the freezing point of, when alloyed with other metals, 888, 892.
Boiling points of solutions of metallic chlorides, 340.
Boron, atomic weight of, 650.
—— bromide, preparation of, 655.
Bran, distillation of, with lime, Proc., **1892**, 138.
Bromanilic acid, crystalline form of the sodium salt of, 582.
Bromides of potassium, sodium, and hydrogen, action of sulphuric acid on, 94.
Bromine and chlorine, relative orienting effect of, Proc., **1892**, 40.
Bromochloranilic acid, crystallography of the sodium salt of, 584.

C.

Cabbage, cooked, composition of, 227.
Cadmium and gold, compound of, 914.
—— hydrosulphide, 129.
—— lowering of the freezing point of bismuth by, 895.
—— lowering of the freezing point of lead by, 907.
Cadmium, lowering of the freezing point of, when alloyed with other metals, 888, 897.
—— mercuric cyanide, 687.
Cadmium-silver alloy, analyses of, 913.
Calcium chloride, boiling points of solutions of, 340.
—— hydrogen imidosulphonate, 968.
—— imidosulphonate, 968.
—— sodium imidosulphonate, 968.
Camphor, production of, 1 : 2 : 4-acetylorthoxylene from, Proc., **1891**, 188; **1892**, 54.
Camphoric acid, constitution of, 1096.
—— —— methyl salts of, 1088.
—— —— new acid from, Proc., **1892**, 55, 68.
Camphorone, Proc., **1891**, 188, **1892**, 54.
Carbazides, semithio-, disubstituted, 1012.
Carbon bisulphide flame, experiments on, 216.
Carbon deposited from coal-gas flames, Proc., **1892**, 46.
Carbon-chains, closed, synthetical formation of, 36, 37.
Carbonic-oxide-hæmoglobin, solutions of, 159.
Carrots, cooked, composition of, 227.
Cauliflower, cooked, composition of, 227.
Celery, cooked, composition of, 227.
Cellulose, colloïdal solutions of, 156.
Cellulose-dissolving enzyme in the digestive tract of certain animals, search for a, 352.
Chloranilic acid and bromanilic acid, compound of, 574.
—— —— crystallography of the sodium salt of, 583.
Chlorates, iodometric estimation of chloric acid in, 87.
Chloric acid, iodometric estimation of, in chlorates, 87.
Chlorides, metallic, physical properties of solutions of, 339.
Chlorine and bromine, relative orienting effect of, Proc., **1892**, 40.
—— use of platinous chloride as a source of, 445.
Chromic acid, 405.
—— chloride, solutions of, 153.
—— hydrate, colloïdal solutions of, 154.
Cinnamic acid, refractive power of, at different temperatures, 306.
—— acids, isomeric α-bromo-, 278.
Cinnamylphenylazimide, formation of, 282.
—— imide of, 283.
Citrazinic acid, 1008.
Citric acid, anhydro-derivatives of, 1003.

Citric acid, dissociation constants of, 708.
Coal, action of dilute nitric acid on, Proc., 1892, 9.
Coal-dust explosions, lecture experiment to illustrate the phenomena of, 414.
Coal-gas flames, carbon deposited from, Proc., 1892, 46.
—— —— —— experiments on, 205, 210.
—— —— —— luminosity of, 322.
Colloïd solutions, pedetic motions in relation to, Proc., 1892, 17.
Colour, appearance of, in quinoline derivatives, 789.
—— as an evidence of isodynamic change, Proc., 1892, 103.
—— origin of, 789; Proc., 1892, 101, 103.
Colour photometry, Proc., 1891, 150.
Concentration, effect of, on alcoholic fermentation, 369.
Congo-red, colloïdal solutions of, 156.
Constitution and colour, relation between, 789; Proc., 1892, 101, 103.
Copper chloride, measurement of the vapour pressures of solutions of, 775.
—— hydrosulphides, 120.
—— lowering of the freezing point of bismuth by, 893.
—— lowering of the freezing point of cadmium by, 898.
—— lowering of the freezing point of lead by, 905.
Corydaline, 244, 605.
—— action of hydrogen iodide on, 609.
—— allyl iodide, 249.
—— ethyl sulphate, 607.
—— hydriodide, 246.
—— hydrobromide, 607.
—— methiodide, 248.
—— platinochloride, 247.
Corydalis tuberosa, alkaloïd from, 244, 605.
Cryptopine and its derivatives, Proc., 1891, 166.
Cucumbers, cooked, composition of, 227.
Cyanogen flame, experiments on, 215.

D.

Dextrose, fermentation of, with *Bacillus ethaceticus*, 436.
—— obtained from cane sugar by means of invertase, specific rotatory power and cupric-reducing power of, 408.
Diacetylacetone, 825, 858.
—— refractive and dispersive powers of, 860.
Diacetylmetachlorobromoquinol, 563.
Diacetylmetadichlorobromoquinone, 567.
Diacetylmetadichlorodibromoquinol, 580.
Diacetylmetadichloroquinone, 560.
Diacetylparadichlorobromoquinol, 565.
Diacetyltrichlorobromoquinol, 593.
Diammonium imidosulphonate, 946.
Diargentic sodium imidosulphonate, 975.
Diastatic action, 689.
Diazoamido-compounds, ethylene derivatives of, Proc., 1892, 119.
Dibenzylpimelic acid, $\omega\omega'$-, dissociation constant of, 702.
Dicarboxyglutaconic acid, 791.
Diethylaniline, action of silicon tetrachloride on, 457.
Diethylpentanetetracarboxylic acid, dissociation constant of, 704.
Diethylpimelic acid, $\omega\omega'$-, dissociation constant of, 701.
Digestive tract of certain animals, search for a cellulose-dissolving enzyme in, 352
Dihydroxyhydrolapachol, 647.
Dihydroxy-α-picoline, α′γ-, 723.
—— dibromide, 724.
Diisopropylpimelic acid, $\omega\omega'$-, dissociation constant of, 702.
Dimethyl camphorate, 1092.
Dimethylaniline, refractive power of, at different temperatures, 302.
Dimethyldihydropentene methyl ketone, 77.
—— —— ketoxime, 79.
Dimethyldihydropentenedicarboxylic acid, 81.
Dimethylpentamethylenemethylcarbinol, 79.
Dimethylpentanetetracarboxylic acid, dissociation constant of, 704.
Dimethylpimelic acid, $\omega\omega'$-, dissociation constant of, 701.
Diphenylamine, action of silicon tetrachloride on, 454.
Diphenylcyanamide, Proc., 1892, 96.
Diphenylthiourea, unsymmetrical, Proc., 1892, 96.
Dipotassium imidosulphonate, 952.
Dipropylpimelic acid, $\omega\omega'$-, dissociation constant of, 701.
Disodium imidosulphonate, 954.
Dissociation constants of organic acids, 696.
—— of liquid nitrogen peroxide, 242.
Ditetramethylene diphenyl glycol, 66.
Ditolylsemithiocarbazide, ortho-, 1017.
Ditolylsemithiocarbazide, para-, 1088.
Dulcitol, a pure fermentation of, 254.
—— and calcium chloride, compound of, 275.

E.

Electrical conductivity of organic acids, 696.
Electrolysis of potassium acetate solutions, 10.
Element, new, in an Egyptian mineral, 491.
Enzyme, cellulose-dissolving, search for, in the digestive tract of certain animals, 352.
Ethane, action of heat on, 329.
Ether, influence of, on the velocity of the hydrolytic action of yeast, 935.
Ethereal salts, action of sodium on, PROC., **1891**, 167.
Ethoxymetaxylenesulphonic acid, PROC., **1891**, 190.
Ethoxytetramethylenecarboxylic acid, 46.
Ethyl acetoacetate, action of propylene bromide on the sodium derivative of, 67.
—— —— magnetic rotation of, 808, 838.
—— acetonedicarboxylate, magnetic rotation of, 812, 839.
—— acetoneoxalate, refractive and dispersive powers of, 854.
—— —— magnetic rotation of, 820, 853.
—— acetophenoneoxalate, magnetic rotation of, 833, 864.
—— acetylmethyltrimethylenecarboxylate [1 : 2 : 1], 67.
—— allylacetoacetate, magnetic rotation of, 809.
—— amidoethylenedicarboxylate, 792.
—— β-amidocrotonate, magnetic rotation of, 828, 859.
—— —— refractive and dispersive powers of, 861.
—— benzoylacetate, action of propylene bromide on the sodium compound of, 82.
—— —— magnetic rotation of, 831, 861.
—— benzoylmethyltrimethylenecarboxylate, 84.
—— benzyldicarboxyglutaconate, action of phenylhydrazine on, 795.
—— α-bromocinnamates, action of phenylhydrazine on, 279.
—— cinnamate, refractive power of, at different temperatures, 304.
—— diacetoacetate, magnetic rotation of, 823, 854.
—— —— refractive and dispersive powers of, 857.
—— dicarboxyglutaconate, action of ammonia on, 791.
Ethyl dicarboxyglutaconate, action of phenylhydrazine on, 793.
—— ethylacetoacetate, magnetic rotation of, 809, 837.
—— ethylideneacetoacetate, magnetic rotation of, 810, 837.
—— hydrogen adipate, dissociation constant of, 712.
—— —— dimethylmalonate, dissociation constant of, 712.
—— —— ethylmalonate, dissociation constant of, 712.
—— —— fumarate, dissociation constant of, 714.
—— —— isosuccinate, dissociation constant of, 712.
—— —— maleate, dissociation constant of, 714.
—— —— malonate, dissociation constant of, 711.
—— —— phthalate, dissociation constant of, 714.
—— —— sebate, dissociation constant of, 713.
—— —— suberate, dissociation constant of, 713.
—— —— succinate, dissociation constant of, 711.
—— iodide, preparation of, 717.
—— methyldiacetyladipate, 73.
—— —— decomposition of, by heat, 75.
—— phenylhydrazilethylenedicarboxylate, 794.
—— phenylpyrazolonecarboxylate, 794, 798.
Ethylacetylacetone, magnetic rotation of, 813, 851.
Ethylaniline, action of silicon tetrachloride on, 455.
Ethyldimethylamidobenzene [6 : 1 : 4 : 3], 420.
Ethylene, action of heat on, 329.
—— explosion of, with less than its own volume of oxygen, 873.
—— flame, experiments on, 210.
Ethylene-derivatives of diazoamido-compounds, PROC., **1892**, 119.
Ethylthiourea, action of nitrous acid on, 525.

F.

Fermentation, alcoholic, influence of oxygen and concentration on, 369.
—— —— influence of the hydrolytic action of yeast on its power of, 940.
—— of arabinose with the *Bacillus ethaceticus*, 737.
—— of mannitol and dextrose with *Bacillus ethaceticus*, 432.

Fermentation of mannitol and dulcitol, a pure, 254.
Ferric hydroxide, colloïdal solutions of, 152, 162.
Ficus rubiginosa and *F. macrophylla*, resins of, 916.
Flame, coal-gas, flat, temperature of various parts of, 326.
—— structure of, 331.
Flame-coloration, origin of, PROC., **1892**, 8.
Flames, coal-gas, carbon deposited from, PROC., **1892**, 46.
—— —— —— luminosity of, 322.
—— luminous, structure of, 217.
—— non-luminous, experiments on, 205.
—— origin of acetylene in, PROC., **1892**, 47.
—— structure and chemistry of, 204.
—— the interactions occurring in, PROC., **1892**, 22.
Fluorescence, appearance of, in quinine salts, 789.
Fluorosulphonic acid, 921.
Frangulin, 1.
—— composition of, 3.
—— hydrolysis of, 4.
—— preparation of, 1.
Freezing points of cadmium, bismuth, and lead, lowering of the, when alloyed with other metals, 888.

G.

Gas, coal-, flame, experiments on, 205, 210.
—— —— flames, carbon deposited from, PROC., **1892**, 46.
—— —— —— luminosity of, 322.
—— water-, action of, on iron, PROC., **1891**, 126.
Gases evolved in the fermentation of arabinose, 741.
—— evolved in the fermentation of dextrose, 438.
—— evolved in the fermentation of dulcitol, 262.
—— evolved in the fermentation of mannitol, 263, 434.
Gas-volumeter, PROC., **1891**, 171.
Glass, adhesion of mercury to, in presence of halogens, 452.
Glycollic acid, crystallography of, PROC., **1892**, 72.
—— —— preparation of, PROC., **1892**, 72.
—— anilide, PROC., **1892**, 72.
Gold and cadmium, compound of, 914.
—— hydrosulphide, 135.
Gold, lowering of the freezing point of bismuth by, 897.
—— lowering of the freezing point of cadmium by, 902.
—— lowering of the freezing point of lead by, 909.
Gold-lead alloy, analysis of, 912.
Gravivolumeter, PROC., **1891**, 171.

H.

Hæmoglobin, colloïdal solutions of, of, 157, 162.
Haricot beans, cooked, composition of, 227.
Heats of combustion of cooked vegetables, 240.
Heptane flame, experiments on, 210.
—— refractive power of, at different temperatures, 294.
Hexahydrophthalic acid, synthesis of, 172.
Hexamethylenetetracarboxylic acid, dissociation constant of, 706.
Homonapelline, 393.
Hydrazines of quinoline, 782.
Hydrobromic acid, pure, preparation of, 97.
Hydrocarbons, flames of, 204, 210, 212.
Hydrogen bromide, action of sulphuric acid on, 99, 100.
—— flame, experiments on, 215.
—— sulphide flame, experiments on, 216.
Hydrolapachol, chlor-, 631.
—— dibromo-, 643.
Hydrolytic action of yeast, velocity of, 928.
Hydrosulphides, metallic, 114.
Hydroxyhydrolapachol, 628.
Hydroxy-β-lapachone, 649.
Hydroxytetramethylenecarboxylic acid, 44.
Hyoscyamine, existence of, in the lettuce, 90.

I.

Imidosulphonamide, 952.
Imidosulphonates, 943.
Imidosulphonic acid, 945.
Indium hydrosulphide, 134.
Iodine, action of, on potassium chlorate, 925.
—— action of, on potassium sulphite and thiosulphate, 1083.
Iron, action of water-gas on, PROC., **1891**, 126.
—— wrought, estimation of slag in, 551.

K.

Ketonic compounds, magnetic rotation of, 800.

L.

Lactic acid, resolution of, into its optically active components, 754.
Lapachic acid, bromo-, Paterno's, 638.
—— —— constitution of, 611.
Lapachol, constitution of, 611.
Lapachone, α-, 635.
Lapachone, β-, 626.
—— bromo-, 638.
Lead hydrogen imidosulphonate, 970.
—— imidosulphonate, 969.
—— —— five-eighths oxy-, 978.
—— —— hemihydroxy-, 970.
—— lowering of the freezing point of cadmium by, 903.
—— lowering of the freezing point of, when alloyed with other metals, 888, 904.
Lead-gold alloy, analysis of, 912.
Lead-thallium alloy, analyses of, 914.
Lecture experiment, to illustrate the phenomena of coal dust explosions, 414.
Lettuce, cooked, composition of, 227.
—— existence of hyoscyamine in, 90.
Levulinic acid, magnetic rotation of, 800.
Light, action of, on silver chloride, 728.
Limettin, 344.
—— action of hydrating agents on, 351.
—— action of hydriodic acid on, 350.
—— dibromo-, 348.
—— nitro-, 350.
—— oxidation of, 346, 349.
—— trichloro-, 349.
Lithium chloride, boiling points of solutions of, 341.
Luminosity of coal-gas flames, 322.

M.

Magdala-red, solutions of, 160, 163.
Magnesium chloride, boiling points of solutions of, 341.
—— lowering of the freezing point of lead by, 904.
Magnetic rotation of compounds supposed to contain acetyl, or to be of ketonic origin, 800.
—— —— of dissolved salts, PROC., 1892, 12.
Mannitol, a pure fermentation of, 254.
—— fermentation of, with *Bacillus ethaceticus*, 432.
Masrite, 494.
Masrium, 494.
Mercuric cadmium cyanide, 687.
—— chloride, boiling points of solutions of, 340.
—— cyanide, boiling points of solutions of, 340.
—— disodium imidosulphonate, 980.
—— zinc cyanide, 666.
Mercury, adhesion of, to glass in presence of halogens, 452.
—— compounds of acetylene, PROC., 1892, 110.
—— dihydrogen imidosulphonate, 977.
—— hydrosulphides, 123.
—— imidosulphonates, 976.
—— —— constitution of, 985.
—— lowering of the freezing point of bismuth by, 897.
—— lowering of the freezing point of cadmium by, 903.
—— lowering of the freezing point of lead by, 910.
—— potassium imidosulphonate, 976.
—— sodium imidosulphonates, 980.
—— sulphide, colloïdal solutions of, 138.
—— volumetric estimation of, 364.
Methane, action of heat on, 328.
—— flame, experiments on, 210.
Methyl acetoneoxalate, magnetic rotation of, 822, 853.
—— acetophenoneoxalate, magnetic rotation of, 833, 863.
—— bromotetramethylenecarboxylate, 43.
—— hydrogen camphorate, allo-, 1093.
—— —— —— —— crystallography of, 1094.
—— —— —— ortho-, 1088.
—— —— —— —— crystallography of, 1088.
—— —— phthalate, dissociation constant of, 717.
—— —— succinate, dissociation constant of, 716.
Methylacetylacetone, magnetic rotation of, 813, 842, 848.
—— refractive and dispersive powers of, 850, 852.
Methylene iodide, refractive power of, at different temperatures, 296.
Methylthiocarbimide, compound of, with aldehyde-ammonia, 517.
Molecular weights of substances in solution, modification of Beckmann's boiling point method of determining the, 989.

Molybdic acid, colloïdal solutions of, 155.
Mushrooms, cooked, composition of, 227.

N.

Napelline, 391.
Naphthalene, α- and β-bromo-, action of bromine on, PROC., **1891**, 184.
—— chlorobromonitro- [1 : 4 : 2], 768.
—— dibromonitro- [1 : 4 : 2], 769.
—— homonucleal, tri-derivatives of, 765.
—— nitrobromiodo- [2 : 4 : 1], 767.
Naphthalenes, dibromo-, isomeric, the sulphochlorides of, PROC., **1891**, 182.
Naphthalenesulphonic acids, dibromo-, preparation of ethereal salts of, PROC., **1891**, 184.
Naphthylamine, bromo- (m. p. 62°), non-existence of, 766.
Naphthylamine, α-, refractive power of, at different temperatures, 303.
Naphthylamine, β-, 4 : 1-bromiodo-, 767.
Naphthylphenylsemithiocarbazide, α-, 1019.
Naphthylphenylsemithiocarbazide, β-, 1020.
Nitric peroxide, liquid, dissociation of, 242.
Nitro-compounds, coloured, constitution of, PROC., **1892**, 101.
Nomenclature, international system of, PROC., **1892**, 127.
—— of cycloïds, PROC., **1892**, 127.

O.

Octyl iodide, refractive power of, at different temperatures, 295.
Onions, Spanish, cooked, composition of, 227.
Oxal-β-naphthalide, dinitro-, 466.
Oxalorthotoluidide, dinitro-, 463.
—— tetranitro-, 464.
Oxalparatoluidide, tetranitro-, 465.
Oxanilic acid, nitro-, 468.
—— —— dinitro-, 468.
—— —— trinitro-, 469.
Oxanilide, action of nitric acid on, 458.
—— and its homologues, preparation of, 459.
—— hexanitro-, 462.
—— —— hydrolysis of, 462.
—— tetranitro-, 460.
—— —— hydrolysis of, 461.
Oxyamidosulphonates, action of alkali on, 988.
Oxygen dissolved in water, estimation of, 310.
—— influence of, on alcoholic fermentation, 369.
Oxyhæmoglobin, solutions of, 158.
Oxymercuric hydrogen imidosulphonate, 977.
—— sodium imidosulphonate, 983.

P.

Palladium, atomic weight of, 745.
—— lowering of the freezing point of bismuth by, 894.
—— lowering of the freezing point of cadmium by, 900.
—— lowering of the freezing point of lead by, 906.
Paper, drawing, the acid action of, PROC., **1892**, 19, 34.
Parsnips, cooked, composition of, 227.
Peas, cooked, composition of, 227.
Pedetic motion in relation to colloïdal solutions, PROC., **1892**, 17.
Pentamethylenedicarboxylic acid, β-, dissociation constant of, 706.
Pentane flame, experiments on, 210.
Phenetoïl, sulphonic acids derived from, PROC., **1892**, 90.
—— diorthochloroparabromo-, 560.
Phenyl bromide, refractive power of, at different temperatures, 299.
—— chloride, refractive power of, at different temperatures, 298.
—— iodide, refractive power of, at different temperatures, 300.
Phenylamines, substituted, action of silicon tetrachloride on, 453.
Phenylbromotrimethylene-ψ-thiourea, n-, 550.
Phenyldimethylthiourea, 539.
Phenyl-β-naphthylsemithiocarbazide, 1020.
Phenylparatolylsemithiocarbazide, 1014.
Phenylpropionic acid, formation of a hydrocarbon, $C_{18}H_{12}$, from, PROC., **1892**, 107.
Phenylpyrazolonecarboxylic acid [1 : 5 : 4], 797, 799.
Phenylthiocarbimide, action of dimethylaniline on, 538.
—— and chloral ammonia, 529.
—— compound of, with aldehyde-ammonia, action of silver nitrate on the, 518.
Phenylthiocarbimide-aldehyde-ammonia, 521.

Photometry, colour-, Proc., **1891**, 150.
Picoline, dichloro-, 725.
Pimelic acid, dissociation constant of, 700.
Platinous chloride, 445.
—— —— use of, as a source of chlorine, 445.
Platinum, lowering of the freezing point of bismuth by, 896.
—— lowering of the freezing point of cadmium by, 901.
—— lowering of the freezing point of lead by, 909.
—— tetrachloride, anhydrous, 422.
Polythionates, Proc., **1892**, 91.
Potassium acetate solutions, electrolysis of, 10.
—— bromide, action of sulphuric acid on, 95, 101.
—— —— chlorate and iodine, interaction of, 925.
—— imidosulphonates, 952.
—— sodium hydrogen imidosulphonate nitrate, 964.
Potatoes, cooked, composition of, 227.
Propylene bromide, action of, on the sodium derivatives of ethyl acetoacetate and ethyl benzoylacetate, 67.
Pseudo-solution, 148.
Pyridine-derivatives, preparation of, from the lactone of triacetic acid, 721.
Pyruvic acid hydrazones, 786.
—— —— magnetic rotation of, 807, 836.

Q.

Quinindole-α-carboxylic acid, ana-, 787.
Quinine salts, appearance of fluorescence in, 789.
Quinol, chlorotribromo-, 592.
—— metachlorobromo-, 562.
—— metadibromo-, 562.
—— metadichlorobromo-, 567.
—— metadichlorodibromo-, 579.
—— paradichlorobromo-, 565.
—— trichlorobromo-, 593.
Quinoline, amido-, 785.
—— nitration of, 782.
Quinoline-derivatives, appearance of colour in, 789.
Quinolinehydrazine, ana-, 784.
Quinolines, hydrazines of, 782.
Quinolinesemicarbazide, ana-, 786.
Quinolmetachlorobromo-, chlorination of, 578.
Quinone, chlorotribromo-, 590.
—— halogen derivatives of, 558, 589.
—— isomeric change in the halogen derivatives of, 558.
Quinone, metachlorobromo-, 562.
—— metadibromo-, 561.
—— metadichloro-, 559.
—— —— bromination of, 576, 580.
—— metadichlorobromo-, 566.
—— metadichlorodibromo-, 578.
—— paradichloro-, 558.
—— —— bromination of, 572.
—— paradichlorobromo-, 563.
—— paradichlorodibromo-, 572.
—— trichlorobromo-, 592.

R.

Radish, cooked, composition of, 227.
Refractive power of certain organic compounds at different temperatures, 287.
Resins of *Ficus rubiginosa* and *F. macrophylla*, 916.
Rhamnose from frangulin, 7.
Rings, closed, nomenclature of, Proc., **1892**, 127.
Rotation, magnetic, of dissolved salts, Proc., **1892**, 12.

S.

Salsify, cooked, composition of, 227.
Salt solutions, boiling, determination of the temperature of the steam arising from, 495.
Salts, dissolved, magnetic rotation of, Proc., **1892**, 12.
Scarlet runners, cooked, composition of, 227.
Sea-kale, cooked, composition of, 227.
Semithiocarbazides, di-substituted, 1012.
Silicic acid, colloïdal solutions of, 154.
Silicon compounds, 453.
—— tetrachloride, action of, on substituted phenylamines, 453.
Silver acetylide, Proc., **1892**, 109.
—— chloride, action of light on, 728.
—— hydrosulphide, 132.
—— imidosulphonates, 974.
—— lowering of the freezing point of bismuth by, 895.
—— lowering of the freezing point of cadmium by, 900.
—— lowering of the freezing point of lead by, 907.
—— salts, compounds of thiourea with, 249.
Silver-cadmium alloy, analysis of, 913.
Slag, estimation of, in wrought iron, 551.
Sodium ammonium imidosulphonate, 961.

Sodium bromide, action of sulphuric acid on, 101, 102.
—— chloride, measurement of the vapour pressures of solutions of, 773.
—— imidosulphonates, 954.
—— lowering of the freezing point of bismuth when alloyed with, 892.
—— lowering of the freezing point of cadmium by, 897.
—— lowering of the freezing point of lead by, 904.
—— sulphate, boiling point of a solution of, PROC., **1892**, 94.
—— thiosulphate, change proceeding in an acidified solution of, where the products of change are retained in the system, 176.
Solution and pseudo-solution, 148.
—— and suspension, connection between, 151, 165.
Solutions, a new property of certain, 160.
—— colloïdal, pedetic motion in relation to, PROC., **1892**, 17.
—— measurement of the vapour pressures of, 769.
—— of some metallic chlorides, physical properties of, 339.
—— saline, temperature of steam arising from, 495.
Specific rotatory power of invert sugar and of dextrose obtained from cane sugar by means of invertase, 408.
Spinach, cooked, composition of, 227.
Starch, colloïdal solutions of, 156.
Steam arising from boiling salt solutions, temperature of, 495.
Sugar, invert, specific rotatory power and cupric reducing power of, 408.
Sulphatammon, 949.
Sulphide solutions, physical constitution of, 137.
Sulphite and thiosulphate, action of iodine on a mixture of, 1083.
Sulphonic acids, anhydrides of, PROC., **1892**, 41.
—— —— preparation of ethereal salts of, PROC., **1891**, 184.
—— chlorides, action of alcohol on, PROC., **1891**, 184.
Sulphur, flowers of, action of sulphurous acid on, 199.
Sulphurous acid, action of, on flowers of sulphur, 199.
Suspension and solution, connection between, 151, 165.

T.

Temperature, influence of, on the refractive power of certain organic compounds, 287.
Tetramethylene, derivatives of, 36.
—— diethyl glycol, 58.
—— ethyl ketone, 51.
—— —— —— sodium hydrogen sulphite compound of, 53.
—— —— ketoxime, 54.
—— methyl ketone, 47.
—— —— ketoxime, 49.
—— phenyl ketone, 59.
—— —— ketoxime, 61.
Tetramethylenecarboxylic acid, bromo-, 41.
—— —— dissociation constant of, 705.
—— —— preparation of, 40.
—— chloride, preparation of, 41.
Tetramethylenedicarboxylic acid, α-, dissociation constant of, 705.
Tetramethyleneethylcarbinol, 54.
Tetramethyleneethylcarbinyl acetate, 56.
Tetramethylenemethylcarbinol, 50.
Tetramethylenephenylcarbinol, 62.
—— polymeride of, 65.
Tetramethylenepropyl bromide, 58.
—— iodide, 57.
Thallium, lowering of the freezing point of cadmium by, 903.
Thallium-lead alloy, analyses of, 914.
Thiocarbamide, silver compounds of, 249.
Thiocarbimides, compounds of, with aldehyde-ammonias, 509.
Thiosulphate and sulphite, action of iodine on a mixture of, 1083.
Thiosulphuric acid, decomposition of, 176.
Thiourea, action of nitrous acid on, 525.
—— compound of silver bromide with, 251.
—— compound of silver chloride with, 252.
—— compound of silver cyanide with, 253.
Thiourea, compound of silver iodide with, 252.
—— compound of, with aldehyde-ammonia, 510.
—— compound of, with isovaleraldehyde-ammonia, 513.
—— compounds of silver nitrate with, 250.
—— compounds of, with aldehyde-ammonias, 509.
—— silver compounds of, 249.
Thioureas, PROC., **1892**, 96.

Thioureas, substituted, isomerism amongst the, 536.
Thymol, refractive power of, at different temperatures, 305.
Tin, antimony, and arsenic, separation of, 424.
—— lowering of the freezing point of bismuth by, 896.
—— lowering of the freezing point of cadmium by, 901.
—— lowering of the freezing point of lead by, 908.
Toluene, bromination of, 1025.
—— interaction of bromine and, 1023.
—— 1 : 2 : 5-dichloro-, sulphonation of, 1050.
—— 1 : 3 : 4-dichloro-, sulphonation of, 1060.
—— metachloro-, sulphonation of, 1075.
—— orthobromo-, bromination of, 1031.
—— orthochloro-, sulphonation of, 1072.
—— parabromo-, bromination of, 1032.
—— parachloro-, sulphonation of, 1078.
—— refractive power of, at different temperatures, 297.
—— 1 : 3 : 4 : 5-trichloro-, 1070.
Toluenemetasulphonic acid, orthometadibromo-, 1038.
Tolueneparasulphonic acid, bromination of the potassium salts of, 1027.
Toluenes, ortho- and para-bromo-, preparation and properties of, 1026, 1027.
Toluenesulphonic acid, 1 : 2 : 5-dichloro-, derivatives of, 1051.
—— —— 1 : 3 : 4-dichloro-, derivatives of, 1061.
—— —— —— hydrolysis of, 1068.
—— —— metachloro-, 1075.
—— —— ortho-, 1 : 2 : 5-orthobromo-, 1041.
—— —— —— 1 : 2 : 5-orthochloro-, 1040.
—— —— orthochloro-, 1072.
—— acids, mono-, di-, and tri-chloro-, 1042.
—— acids, ortho- and para-bromo-, 1023.
—— —— parachloro-, 1078.
Toluidine, ortho-, chloro-, conversion of, into chlorotoluene, 1047.
—— —— —— conversion of, into dichlorotoluene, 1049.
Toluidine, para-, chloro-, conversion of, into chloro- and dichloro-toluene, 1058, 1059.
Toluidinemetasulphonic acid, ortho-, metabrom-, 1037.
Toluidinesulphonic acid, ortho-, constitution of Nevile and Winther's, 1036.
Tolylorthotolylsemithiocarbazide, para-, 1016.
Tolylparatolylsemithiocarbazide, ortho-, 1015.
Tolylphenylsemithiocarbazide, para-, 1013.
Tolylthiocarbimide-aldehyde-ammonia, ortho-, 520.
Tomato, cooked, composition of, 227.
Triacetic acid, lactone of, preparation of pyridine derivatives from, 721.
Triammonium imidosulphonate, anhydrous, 949.
—— —— hydrated, 948.
Triargentic imidosulphonate, 974.
Tricarballylic acid, dissociation constant of, 707.
Trisodium imidosulphonate, 958.
Trithionate, formation of, by the action of iodine on a mixture of sulphite and thiosulphate, PROC., **1892**, 91.
Turnips, cooked, composition of, 227.

V.

Vapour pressure of solutions, measurement of, 769.
Vegetable marrow, cooked, composition of, 227.
Vegetables, cooked, composition of, 226.
Velocities, relative, of the action of iodine on a mixture of sulphite and thiosulphate, 1086.
Volumeter, gas-, PROC., **1891**, 171.

W.

Water, estimation of oxygen dissolved in, 310.
—— refractive power of, at different temperatures, 293.
Water-gas, action of, on iron, PROC., **1891**, 126.

X.

Xylenesulphonic acids, meta-, PROC., **1891**, 189.

Y.

Yeast, hydrolytic functions of, 593, 926.
—— velocity of the hydrolytic action of, 928.
Yeast-cells, effects of varying environment on, 369.

Z.

Zinc, hydrosulphide, 130.
—— lowering of the freezing point of bismuth by, 893.
Zinc, lowering of the freezing point of cadmium by, 899.
—— lowering of the freezing point of lead by, 905.
—— mercuric cyanide, 666.

ERRATA.

Vol. LXI (Trans., 1892).

Page	Line	
390	11*	*for* "$C_{33}H_{45}NO_{11},HAuCl_4$" *read* "$C_{33}H_{45}NO_{12},HAuCl_4$."
391	3	„ "$C_{33}H_{45}NO_{11}$" *read* "$C_{33}H_{45}NO_{12}$."
531	16	„ "thiocarbamides" *read* "thiocarbimides."
„	18	„ "thiocarbamide" *read* "thiocarbimide."
568	3*	foot-note, *for* "and found from his" *read* "and found that his."
570	9	*for* "metadichlorobromoquinone" *read* "metadichlorodibromoquinone."
614	25	„ "bromide" *read* "bromine."
617		foot-note, in the last two symbols replace the double lines in the vertical sides of the hexagons by single lines.
618	11*	replace the "OH" at the bottom angle of the hexagon by "CO."
619	7*	foot-note, *for* "$C_{10}H_4\begin{cases}O_2\\CH\\O\end{cases}>CH_2{\cdot}C_3H_7$" *read* "$C_{10}H_4\begin{cases}O_2\\CH\\O\end{cases}>CH{-}CH_2{\cdot}C_3H_7$."
621		bottom line, foot-note, *for* "  " *read* "  ."
625	8	at bottom of hexagon, *for* "$CO{\cdot}O{\cdot}C_2H_3O$" *read* "$C{\cdot}O{\cdot}C_2H_3O$."
631	17	*for* "sp. gr. 1·10" *read* "sp. gr. 1·20."
638	14	*omit* "(Paternò)."
639, 646, 647		In all the formulæ *for* "a_1" *read* "a."
684	11	*for* "mercuric zinc cyanide" *read* "mercuric potassium cyanide."
912	18*	„ "determined by crystallisation" *read* "determined by cupellation."

* From bottom.